

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(options with manipulats\$ with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:30
S3	678	email and (encrypt\$3 or encod\$3) with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:54
S4	23	email and (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2007/11/15 13:19
S5	0	email with (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S6	0	email same (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S7	0	email same (encrypt\$3 or encod\$3) with only near4 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:57
S8	3	email same (encrypt\$3 or encod\$3) with only with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:01
S9	77	email and (encrypt\$3 or encod\$3) with only with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2007/04/05 17:28
S10	23	email and (encrypt\$3 or encod\$3) with only near2 stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:09
S11	26	email with (encrypt\$3 or encod\$3) with stor\$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:34
S12	26	email with (encrypt\$3 or encod\$3) with (stor\$3 or sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:35
S13	1	email with (encrypt\$3 or encod\$3) with (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:49
S14	780	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) with (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S15	217	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) near2 (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50

EAST Search History

S16	18	send\$3 and receiv\$3 and (encrypt\$3 or encod\$3) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 08:58
S17	1	send\$3 and receiv\$3 and (decrypt\$3 with (encrypt\$3 or encod\$3)) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S18	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3)) near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S19	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3)) near5 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S20	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))with (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S21	19	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))same (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:11
S22	0	(email same decrypt\$3 with (re-encrypt\$3 or re-encod\$3))same (sav\$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 12:11
S23	19	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))same (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S24	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))near2 (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S25	1	(decrypt\$3 with (re-encrypt\$3 or re-encod\$3))with (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S26	20	(decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S27	0	(email same (decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:15
S28	7	(email same (decrypt\$3 with (encrypt\$3 or encod\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24
S29	74	(email same ((cipher\$3 encrypt\$3 or encod\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24

EAST Search History

S30	74	(email same ((cipher\$3 or encrypt\$3 or encod\$3))with (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S31	0	(email same ((cipher\$3))near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S32	10	(email same ((encode\$3))near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
S33	3	(recei\$5 same email same ((encode\$3))near4 (sav\$3 or stor\$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26
S34	77	email and (encrypt\$3 with sav\$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S35	0	email and (encrypt\$3 with sav\$3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S36	0	email and (encrypt\$3 with store\$3 near1 email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:26
S37	12	email and (encrypt\$3 with store\$3 near1 messages) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 18:42
S38	2	("20020136410").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 18:43
S39	0	("2001001458").PN.	USPAT; USOCR	OR	OFF	2006/02/01 11:44
S40	0	("2001001458").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 11:44

EAST Search History

S41	1	("20010014158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:08
S42	1	("6721784").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 12:10
S43	20773088	email\$3 and (encrypt\$3 with local)@ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S44	137	email\$3 and (encrypt\$3 with local) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:11
S45	24	email\$3 and (encrypt\$3 with local with sav\$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:18
S46	50	email\$3 and (encrypt\$3 with local with stor\$3) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:34
S47	4	(encrypt\$3 with local with stor\$3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 12:38
S48	0	(encodi\$3 with local with stor\$3 with email) and @ad<="20010523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:17
S49	1	("6,625,734").PN.	USPAT; USOCR	OR	OFF	2006/02/01 13:17
S50	2	("6721784").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 16:59

EAST Search History

S51	2	("6625734").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13
S52	2	("6590887").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:13
S53	2	("6697422").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:14
S54	2	("5249220").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:15
S55	2	("5844922").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:17
S56	2	("5859594").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S57	2	("6539118").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 17:18
S58	619	(character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:28

EAST Search History

S59	47	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S60	76	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats)".a.b" and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S61	47	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:29
S62	6	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) .ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 17:31
S63	2	((select\$3 choos\$3 evaluat\$4) with character\$3 with encod\$3 with formats) and text adj1 messages and @ad<="20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 11:58
S64	2	("20040221032").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 11:58
S65	3127	recipient\$3 with (encrypt\$3 encod\$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:20
S66	733	recipient\$3 near2(encrypt\$3 encod\$3) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:20

EAST Search History

S67	94	(recipient\$3 near2(encrypt\$3 encod\$3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:25
S68	0	(recipient\$3 near2(re-encrypt\$3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:25
S69	10	(recipient\$3 with (re-encrypt\$3)).ab. and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:31
S70	4	(recipient\$3 near2 (re-encrypt\$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:35
S71	5	(receivers near2 (re-encrypt\$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S72	0	(receivers near2 (reencrypt\$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40
S73	9	(receivers near4 (re-encrypt\$3)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:40

EAST Search History

S74	1	(receivers near4 (re-encrypt\$3) with stor\$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S75	1	(receivers near4 (re-encrypt\$3) same stor\$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S76	0	(receivers near4 (re-encrypt\$3) with mail) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S77	0	(recipient\$4 near4 (re-encrypt\$3) with mail) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:41
S78	2	(recipient\$4 near4 (re-encrypt\$3) with email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S79	0	((re-encrypt\$3) near2 stor\$4 with email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S80	0	((re-encrypt\$3) near3 stor\$4 with email) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43

EAST Search History

S81	165	((re-encrypt\$3) near3 stor\$4) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S82	11	((re-encrypt\$3) near3 stor\$4) and email and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 13:43
S83	22	(stor\$5 with encrypt\$4 near4 (email\$1 e-mail\$1)) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 07:57
S84	6	((recipient\$1 viewer\$1 receiver\$1) with stor\$5 with encrypt\$4 near4 (email\$1 e-mail\$1)) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:03
S85	2	((recipient\$1 viewer\$1 receiver\$1)with re-encrypt\$4 near4 (email\$1 e-mail\$1)) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05
S86	0	((recipient\$1 viewer\$1 receiver\$1)same re-encrypt\$4 near4 (email\$1 e-mail\$1) near4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05
S87	0	(re-encrypt\$4 near4 (email\$1 e-mail\$1) near4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:05

EAST Search History

S88	10147	(re-encrypt\$4 near\$4 (email\$1 e-mail\$1) near\$4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S89	0	(re-encrypt\$4 with (email\$1 e-mail\$1) with stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S90	0	(re-encrypt\$4 with (email\$1 e-mail\$1 mails) with stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:06
S91	12	(re-encrypt\$4 same (email\$1 e-mail\$1 mails) with stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 08:07
S92	13	(re-encrypt\$4 near\$4 stor\$4) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:38
S93	48	(confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:38
S94	2	((select\$4 choos\$4) with confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:39

EAST Search History

S95	2	(email with confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42
S96	2	(email same confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42
S97	48	(email and confidential with levels) and @ad<="20010508" and email	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:42
S98	6	(email and (confidential with levels with (restrict\$4 limit\$4))) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:43
S99	0	(email with confidentia\$4 with (modif\$4 manipul\$4)) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/18 22:45
S10 0	0	((email\$3 e-mail\$3) with confidentia\$4 with (modif\$4 manipul\$4)) and @ad<="20010508"	USPAT	OR	OFF	2007/11/18 22:46
S10 1	0	((email\$3 e-mail\$3) with levels with (modif\$4 manipul\$4)) and @ad<="20010508"	USPAT	OR	OFF	2007/11/18 22:46
S10 2	9	((email\$3 e-mail\$3) with levels with (modify manipul\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/18 22:55

EAST Search History

S10 3	13	((email\$3 e-mail\$3) with (confidential\$3 secure\$3 privac\$4) with (modify manipul\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:54
S10 4	5	"6766458"	USPAT	OR	OFF	2007/11/19 08:56
S10 5	1	("6766458").PN.	USPAT; USOCR	OR	OFF	2007/11/19 08:57
S10 6	1	("6877137").PN.	USPAT; USOCR	OR	OFF	2007/11/19 08:58
S10 7	0	("20030046533").PN.	USPAT; USOCR	OR	OFF	2007/11/19 08:58
S10 8	2	("20030046533").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 08:58
S10 9	1	(confident\$4 near2 levels) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 09:00
S11 0	7	(confident\$4 with levels) and @ad<="20010508" and email	USPAT	OR	OFF	2007/11/19 09:09
S11 1	132	(confident\$4 with levels) and @ad<="20010508" and (email\$1 e-mail\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 09:09
S11 2	9	(confident\$4 with levels) same (email\$1 e-mail\$1) and @ad<="20010508"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 10:50
S11 3	1	("7039951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 11:30
S11 4	0	("20030046533").PN.	USPAT; USOCR	OR	OFF	2007/11/19 11:30
S11 5	2	("20030046533").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:30

EAST Search History

S11 6	0	((email\$3 e-mail\$3) with (decrypt\$ with password\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:55
S11 7	45	((email\$3 e-mail\$3) with (decrypt\$ with password\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S11 8	5	((email\$3 e-mail\$3) with (decrypt\$ with password\$1)) and (prompt\$4 with password\$1) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:57
S11 9	0	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:57
S12 0	1	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58
S12 1	0	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58
S12 2	0	((email\$3 e-mail\$3) with (decrypt\$ with enter\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 12:58

EAST Search History

S12 3	1	((email\$3 e-mail\$3) with (decrypt\$ with promp\$3 near4 keys)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:30
S12 4	1	("7,039,951").PN.	USPAT; USOCR	OR	OFF	2007/11/19 13:30
S12 5	0	((confident\$4) with (descryp\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S12 6	233	((confident\$4) with (decrypt\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:31
S12 7	5	((confident\$4) with levels with (decrypt\$4)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:36
S12 8	0	((confident\$4) with levels same (decrypt\$4) with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:36
S12 9	0	((confident\$4) same levels same (decrypt\$4) with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:37
S13 0	4	((confident\$4) same (decrypt\$4) with (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38

EAST Search History

S13 1	27	((confident\$4) same (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S13 2	0	((confident\$4)with levels same (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:38
S13 3	0	((confident\$4)with satisf\$ same (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:39
S13 4	6	((confident\$4) with (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:41
S13 5	0	((privacy\$4) with levels with (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 13:41
S13 6	6	(levels with (decrypt\$4) same (email\$1 e-mail\$1)) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:51
S13 7	4	(select\$4 choos\$4) near2 (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:53

EAST Search History

S13 8	0	display\$4 with (select\$4 choos\$4) with (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:54
S13 9	1	display\$4 same (select\$4 choos\$4) with (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:55
S14 0	5	display\$4 same (select\$4 choos\$4) same (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S14 1	1	display\$4 with (confident\$4 near3 levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S14 2	28	display\$4 with (confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S14 3	1	display\$4 with select\$3 with(confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:57
S14 4	0	interfaces with select\$3 with(confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:58

EAST Search History

S14 5	32	select\$3 with(confident\$4 with levels) and @ad<="20010508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 14:58
----------	----	---	--	----	----	------------------